







PT MITRA NUSA
INTERNASIONAL

2025

CATALOG


PRODUCT //



CABLE TRAY MANUFACTURING

PT. MITRA NUSA INTERNATIONAL

OUR PRODUCT





KABEL TRAY

Cable Tray Perforated didesain untuk memberikan perlindungan maksimal pada kabel. Dengan sebagian besar bagian tertutup, sistem penyangga kabel ini mencegah serangga masuk, yang dapat memperpanjang umur kabel.

KABEL LADDER

Cable Ladder memiliki desain yang kuat, ideal untuk kabel-kabel besar seperti di area basement, lingkungan pabrik, atau industri minyak dan gas. Materialnya yang tahan lama dirancang untuk menopang beban lebih banyak dibandingkan jenis tray lainnya.




KABEL DUCT

Cable Duct memiliki desain serupa dengan Cable Tray Perforated, namun tidak memiliki lubang kecuali pada area penyambung. Didesain khusus untuk instalasi di bawah lantai yang dapat ditinggikan di atas beton atau diletakkan di dalam beton, mencegah bahan beton merembes ke dalam tray.

KABEL CAGE/WIREMESH

Cable Cage adalah solusi ekonomis untuk sistem penyangga kabel Anda. Dengan strukturnya yang terbuka, debu tidak akan menempel pada kabel, menghindari peningkatan suhu yang bisa merusak kabel. Aksesori utamanya seperti Siku, Tee, dan Silang dapat dibuat langsung di lokasi, mengurangi kebutuhan untuk prefabrication oleh produsen tray.



RAW MATERIALS



A. Baja

Baja Hot Rolled Mill / SPHC adalah pilihan yang kokoh dan handal. Produk jadi perlu dilapisi dengan bahan khusus, yang paling umum adalah Hot Dip Galvanizing atau Electroplating, keduanya menggunakan material berbasis Zinc untuk meningkatkan ketahanan korosi dan memperpanjang masa pakai.

B. Aluminium

Material aluminium yang paling umum digunakan adalah AA1100, yang lebih tahan lama dibandingkan baja standar SPHC. Bebas perawatan dan sangat cocok untuk aplikasi luar ruangan. Produk jadi dapat dikirim dengan warna alami atau dilapisi bubuk untuk pilihan yang lebih menarik.



C. Baja Tahan Karat (Stainless Steel)

Material umum yang digunakan meliputi SS304, SS316, dan SS316L. Karena faktor ketahanan terhadap karat, Baja Tahan Karat adalah material paling mahal di antara yang lain. Baja Tahan Karat tidak akan mengelupas, menjadikannya sempurna untuk industri makanan atau bisnis restoran. Material ini lebih keras daripada SPHC dan Aluminium, menawarkan daya tahan yang luar biasa.

D. Kawat Tarik (Drawn Wire)

Khusus digunakan untuk Cable Cage, dengan diameter berkisar antara 5mm hingga 6mm tergantung pada lebar cable cage. Finishing yang dibutuhkan adalah Hot Dip Galvanizing atau Electroplating atau material Stainless Steel untuk meningkatkan ketahanan dan umur pakai produk.



FINISHING PROCESS




A. Hot Dip Galvanizing (HDG)

Proses pencelupan bahan ke dalam seng cair panas digunakan untuk melindungi baja dari korosi. Jika ketebalan pelat baja adalah 1,8mm, ketebalan keseluruhan mungkin meningkat menjadi rata-rata 2,0mm setelah HDG. Proses ini akan melapisi material hingga 40-75 mikron, sangat cocok untuk penggunaan luar ruangan atau

B. Electroplating (EP)

Electroplating menggunakan reaksi kimia dan listrik untuk melapisi permukaan material dengan seng. Proses ini menghasilkan lapisan seng yang lebih halus dan seragam, dengan ketebalan sekitar 4-8 mikron. Cocok untuk penggunaan di lingkungan dalam ruangan yang kering.




C. Powder Coating

Powder coating melibatkan penyemprotan partikel cat ke material, yang kemudian dipanaskan dalam oven untuk mengeringkan lapisan. Meskipun lebih mahal, proses ini menawarkan berbagai pilihan warna yang menarik bagi pelanggan.

MNI TRAY CATALOGUE

KABEL TRAY TYPE C



SPESIFIKASI

Material	: SPHC
Tebal Material	: 1.2 mm, 1.5 mm, 1.8 mm, 2 mm
Panjang Standard	: 2400 & 3000 mm
Finishing	: Electro Galvanized, Hot Dip Galvanized, Powder Coating

Finishing: Hot Dip Galvanizing / Electro Galvanizing / Powder Coating

** Other dimension are available upon special request

*Other Materials: Stainless Steel (SS304, SS316, SS316L) and Aluminium (AA1100, AA5052)

Cable Tray Type C		
Width (mm)	Height (mm)	Length (mm)
50	50	2400 & 3000
100	50	2400 & 3000
150	50	2400 & 3000
200	50	2400 & 3000
250	50	2400 & 3000
300	50	2400 & 3000
350	50	2400 & 3000
400	50	2400 & 3000
450	50	2400 & 3000
500	50	2400 & 3000
600	50	2400 & 3000
700	50	2400 & 3000
800	50	2400 & 3000
900	50	2400 & 3000
1000	50	2400 & 3000


Cable Tray Type C		
Width (mm)	Height (mm)	Length (mm)
100	100	2400 & 3000
150	100	2400 & 3000
200	100	2400 & 3000
250	100	2400 & 3000
300	100	2400 & 3000
350	100	2400 & 3000
400	100	2400 & 3000
450	100	2400 & 3000
500	100	2400 & 3000
600	100	2400 & 3000
700	100	2400 & 3000
800	100	2400 & 3000
900	100	2400 & 3000
1000	100	2400 & 3000

Cable Tray Type C		
Width (mm)	Height (mm)	Length (mm)
100	150	2400 & 3000
150	150	2400 & 3000
200	150	2400 & 3000
250	150	2400 & 3000
300	150	2400 & 3000
350	150	2400 & 3000
400	150	2400 & 3000
450	150	2400 & 3000
500	150	2400 & 3000
600	150	2400 & 3000
700	150	2400 & 3000
800	150	2400 & 3000
900	150	2400 & 3000
1000	150	2400 & 3000



MNI TRAY CATALOGUE

KABEL TRAY TYPE U



SPESIFIKASI

Material	: SPHC
Tebal Material	: 1.2 mm, 1.5 mm, 1.8 mm, 2 mm
Panjang Standard	: 2400 & 3000 mm
Finishing	: Electro Galvanized, Hot Dip Galvanized, Powder Coating

Finishing: Hot Dip Galvanizing / Electro Galvanizing / Powder Coating

** Other dimension are available upon special request

*Other Materials: Stainless Steel (SS304, SS316, SS316L) and Aluminium (AA1100, AA5052)




Cable Tray Type U		
Width (mm)	Height (mm)	Length (mm)
50	50	2400 & 3000
100	50	2400 & 3000
150	50	2400 & 3000
200	50	2400 & 3000
250	50	2400 & 3000
300	50	2400 & 3000
350	50	2400 & 3000
400	50	2400 & 3000
450	50	2400 & 3000
500	50	2400 & 3000
600	50	2400 & 3000
700	50	2400 & 3000
800	50	2400 & 3000
900	50	2400 & 3000
1000	50	2400 & 3000

Cable Tray Type U		
Width (mm)	Height (mm)	Length (mm)
100	100	2400 & 3000
150	100	2400 & 3000
200	100	2400 & 3000
250	100	2400 & 3000
300	100	2400 & 3000
350	100	2400 & 3000
400	100	2400 & 3000
450	100	2400 & 3000
500	100	2400 & 3000
600	100	2400 & 3000
700	100	2400 & 3000
800	100	2400 & 3000
900	100	2400 & 3000
1000	100	2400 & 3000

Cable Tray Type U		
Width (mm)	Height (mm)	Length (mm)
100	150	2400 & 3000
150	150	2400 & 3000
200	150	2400 & 3000
250	150	2400 & 3000
300	150	2400 & 3000
350	150	2400 & 3000
400	150	2400 & 3000
450	150	2400 & 3000
500	150	2400 & 3000
600	150	2400 & 3000
700	150	2400 & 3000
800	150	2400 & 3000
900	150	2400 & 3000
1000	150	2400 & 3000



ELBOW TRAY

Nama Item	Gambaran Sketch/Drawing
	
Nama Item	Gambaran Sketch/Drawing
	

SPESIFIKASI


Material	: SPHC
Tebal Material	: 1.2 mm, 1.5 mm, 1.8 mm, 2 mm
Finishing	: Electro Galvanized, Hot Dip Galvanized, Powder Coating


Finishing: Hot Dip Galvanizing / Electro Galvanizing / Powder Coating
 ** Other dimension are available upon special request
 *Other Materials: Stainless Steel (SS304, SS316, SS316L) and Aluminium (AA1100, AA5052)



MNI TRAY CATALOGUE

OUTSIDE RISER TRAY

Nama Item	Gambaran Sketch/Drawing
	

Nama Item	Gambaran Sketch/Drawing
	

SPESIFIKASI


Material	: SPHC
Tebal Material	: 1.2 mm, 1.5 mm, 1.8 mm, 2 mm
Finishing	: Electro Galvanized, Hot Dip Galvanized, Powder Coating



Finishing: Hot Dip Galvanizing / Electro Galvanizing / Powder Coating
 ** Other dimension are available upon special request
 *Other Materials: Stainless Steel (SS304, SS316, SS316L) and Aluminium (AA1100, AA5052)



MNI TRAY CATALOGUE

INSIDE RISER TRAY

Nama Item	Gambaran Sketch/Drawing
	

Nama Item	Gambaran Sketch/Drawing
	


SPESIFIKASI


Material	: SPHC
Tebal Material	: 1.2 mm, 1.5 mm, 1.8 mm, 2 mm
Finishing	: Electro Galvanized, Hot Dip Galvanized, Powder Coating

Finishing: Hot Dip Galvanizing / Electro Galvanizing / Powder Coating
 ** Other dimension are available upon special request
 *Other Materials: Stainless Steel (SS304, SS316, SS316L) and Aluminium (AA1100, AA5052)



TEE TRAY

Nama Item	Gambaran Sketch/Drawing
	 SECTION VIEW

Nama Item	Gambaran Sketch/Drawing
	 SECTION VIEW


SPESIFIKASI


Material	: SPHC
Tebal Material	: 1.2 mm, 1.5 mm, 1.8 mm, 2 mm
Finishing	: Electro Galvanized, Hot Dip Galvanized, Powder Coating

Finishing: Hot Dip Galvanizing / Electro Galvanizing / Powder Coating
 ** Other dimension are available upon special request
 *Other Materials: Stainless Steel (SS304, SS316, SS316L) and Aluminium (AA1100, AA5052)



CROSS TRAY

Nama Item	Gambaran Sketch/Drawing
	

Nama Item	Gambaran Sketch/Drawing
	


SPESIFIKASI


Material	: SPHC
Tebal Material	: 1.2 mm, 1.5 mm, 1.8 mm, 2 mm
Finishing	: Electro Galvanized, Hot Dip Galvanized, Powder Coating

Finishing: Hot Dip Galvanizing / Electro Galvanizing / Powder Coating
 ** Other dimension are available upon special request
 *Other Materials: Stainless Steel (SS304, SS316, SS316L) and Aluminium (AA1100, AA5052)



REDUSER TRAY

Nama Item	Gambaran Sketch/Drawing
	

Nama Item	Gambaran Sketch/Drawing
	



SPESIFIKASI

Material	: SPHC
Tebal Material	: 1.2 mm, 1.5 mm, 1.8 mm, 2 mm
Finishing	: Electro Galvanized, Hot Dip Galvanized, Powder Coating

Finishing: Hot Dip Galvanizing / Electro Galvanizing / Powder Coating
 ** Other dimension are available upon special request
 *Other Materials: Stainless Steel (SS304, SS316, SS316L) and Aluminium (AA1100, AA5052)



KABEL LADDER SLW



SPESIFIKASI

Material	: SPHC
Tebal Material	: 1.2 mm, 1.5 mm, 1.8 mm, 2 mm
Panjang Standard	: 2400 & 3000 mm
Finishing	: Electro Galvanized, Hot Dip Galvanized, Powder Coating

Finishing: Hot Dip Galvanizing / Electro Galvanizing / Powder Coating

** Other dimension are available upon special request

*Other Materials: Stainless Steel (SS304, SS316, SS316L) and Aluminium (AA1100, AA5052)


Cable Ladder SLW		
Width (mm)	Height (mm)	Length (mm)
50	50	2400 & 3000
100	50	2400 & 3000
150	50	2400 & 3000
200	50	2400 & 3000
250	50	2400 & 3000
300	50	2400 & 3000
350	50	2400 & 3000
400	50	2400 & 3000
450	50	2400 & 3000
500	50	2400 & 3000
600	50	2400 & 3000
700	50	2400 & 3000
800	50	2400 & 3000
900	50	2400 & 3000
1000	50	2400 & 3000

Cable Ladder SLW		
Width (mm)	Height (mm)	Length (mm)
100	100	2400 & 3000
150	100	2400 & 3000
200	100	2400 & 3000
250	100	2400 & 3000
300	100	2400 & 3000
350	100	2400 & 3000
400	100	2400 & 3000
450	100	2400 & 3000
500	100	2400 & 3000
600	100	2400 & 3000
700	100	2400 & 3000
800	100	2400 & 3000
900	100	2400 & 3000
1000	100	2400 & 3000

Cable Ladder SLW		
Width (mm)	Height (mm)	Length (mm)
100	150	2400 & 3000
150	150	2400 & 3000
200	150	2400 & 3000
250	150	2400 & 3000
300	150	2400 & 3000
350	150	2400 & 3000
400	150	2400 & 3000
450	150	2400 & 3000
500	150	2400 & 3000
600	150	2400 & 3000
700	150	2400 & 3000
800	150	2400 & 3000
900	150	2400 & 3000
1000	150	2400 & 3000






KABEL LADDER SLU



SIDE RAIL

SIDE RAIL



SPESIFIKASI

Material : SPHC

Tebal Material : 1.2 mm, 1.5 mm, 1.8 mm, 2 mm

Panjang Standard : 2400 & 3000 mm

Finishing : Electro Galvanized, Hot Dip Galvanized, Powder Coating

Finishing: Hot Dip Galvanizing / Electro Galvanizing / Powder Coating

** Other dimension are available upon special request

*Other Materials: Stainless Steel (SS304, SS316, SS316L) and Aluminium (AA1100, AA5052)





Cable Ladder SLU		
Width (mm)	Height (mm)	Length (mm)
50	50	2400 & 3000
100	50	2400 & 3000
150	50	2400 & 3000
200	50	2400 & 3000
250	50	2400 & 3000
300	50	2400 & 3000
350	50	2400 & 3000
400	50	2400 & 3000
450	50	2400 & 3000
500	50	2400 & 3000
600	50	2400 & 3000
700	50	2400 & 3000
800	50	2400 & 3000
900	50	2400 & 3000
1000	50	2400 & 3000

Cable Ladder SLU		
Width (mm)	Height (mm)	Length (mm)
100	100	2400 & 3000
150	100	2400 & 3000
200	100	2400 & 3000
250	100	2400 & 3000
300	100	2400 & 3000
350	100	2400 & 3000
400	100	2400 & 3000
450	100	2400 & 3000
500	100	2400 & 3000
600	100	2400 & 3000
700	100	2400 & 3000
800	100	2400 & 3000
900	100	2400 & 3000
1000	100	2400 & 3000

Cable Ladder SLU		
Width (mm)	Height (mm)	Length (mm)
100	150	2400 & 3000
150	150	2400 & 3000
200	150	2400 & 3000
250	150	2400 & 3000
300	150	2400 & 3000
350	150	2400 & 3000
400	150	2400 & 3000
450	150	2400 & 3000
500	150	2400 & 3000
600	150	2400 & 3000
700	150	2400 & 3000
800	150	2400 & 3000
900	150	2400 & 3000
1000	150	2400 & 3000



KABEL LADDER SLHD



SPESIFIKASI

Material	: SPHC
Tebal Material	: 1.2 mm, 1.5 mm, 1.8 mm, 2 mm
Panjang Standard	: 2400 & 3000 mm
Finishing	: Electro Galvanized, Hot Dip Galvanized, Powder Coating

Finishing: Hot Dip Galvanizing / Electro Galvanizing / Powder Coating

** Other dimension are available upon special request

*Other Materials: Stainless Steel (SS304, SS316, SS316L) and Aluminium (AA1100, AA5052)





Cable Ladder SLHD		
Width (mm)	Height (mm)	Length (mm)
50	50	2400 & 3000
100	50	2400 & 3000
150	50	2400 & 3000
200	50	2400 & 3000
250	50	2400 & 3000
300	50	2400 & 3000
350	50	2400 & 3000
400	50	2400 & 3000
450	50	2400 & 3000
500	50	2400 & 3000
600	50	2400 & 3000
700	50	2400 & 3000
800	50	2400 & 3000
900	50	2400 & 3000
1000	50	2400 & 3000

Cable Ladder SLHD		
Width (mm)	Height (mm)	Length (mm)
100	100	2400 & 3000
150	100	2400 & 3000
200	100	2400 & 3000
250	100	2400 & 3000
300	100	2400 & 3000
350	100	2400 & 3000
400	100	2400 & 3000
450	100	2400 & 3000
500	100	2400 & 3000
600	100	2400 & 3000
700	100	2400 & 3000
800	100	2400 & 3000
900	100	2400 & 3000
1000	100	2400 & 3000

Cable Ladder SLHD		
Width (mm)	Height (mm)	Length (mm)
100	150	2400 & 3000
150	150	2400 & 3000
200	150	2400 & 3000
250	150	2400 & 3000
300	150	2400 & 3000
350	150	2400 & 3000
400	150	2400 & 3000
450	150	2400 & 3000
500	150	2400 & 3000
600	150	2400 & 3000
700	150	2400 & 3000
800	150	2400 & 3000
900	150	2400 & 3000
1000	150	2400 & 3000



ELBOW LADDER

Nama Item	Gambaran Sketch/Drawing
	
Nama Item	Gambaran Sketch/Drawing
	



SPESIFIKASI

Material	: SPHC
Tebal Material	: 1.2 mm, 1.5 mm, 1.8 mm, 2 mm
Finishing	: Electro Galvanized, Hot Dip Galvanized, Powder Coating

Finishing: Hot Dip Galvanizing / Electro Galvanizing / Powder Coating
 ** Other dimension are available upon special request
 *Other Materials: Stainless Steel (SS304, SS316, SS316L) and Aluminium (AA1100, AA5052)



OUTSIDE RISER LADDER

Nama Item	Gambaran Sketch/Drawing
	
Nama Item	Gambaran Sketch/Drawing
	




SPESIFIKASI

Material	: SPHC
Tebal Material	: 1.2 mm, 1.5 mm, 1.8 mm, 2 mm
Finishing	: Electro Galvanized, Hot Dip Galvanized, Powder Coating

Finishing: Hot Dip Galvanizing / Electro Galvanizing / Powder Coating
 ** Other dimension are available upon special request
 *Other Materials: Stainless Steel (SS304, SS316, SS316L) and Aluminium (AA1100, AA5052)



INSIDE RISER LADDER

Nama Item	Gambaran Sketch/Drawing
	
	

SPESIFIKASI

Material	: SPHC
Tebal Material	: 1.2 mm, 1.5 mm, 1.8 mm, 2 mm
Finishing	: Electro Galvanized, Hot Dip Galvanized, Powder Coating



Finishing: Hot Dip Galvanizing / Electro Galvanizing / Powder Coating

** Other dimension are available upon special request

*Other Materials: Stainless Steel (SS304, SS316, SS316L) and Aluminium (AA1100, AA5052)



TEE LADDER

Nama Item	Gambaran Sketch/Drawing
	
Nama Item	Gambaran Sketch/Drawing
	

SPESIFIKASI

Material	: SPHC
Tebal Material	: 1.2 mm, 1.5 mm, 1.8 mm, 2 mm
Finishing	: Electro Galvanized, Hot Dip Galvanized, Powder Coating



Finishing: Hot Dip Galvanizing / Electro Galvanizing / Powder Coating

** Other dimension are available upon special request

*Other Materials: Stainless Steel (SS304, SS316, SS316L) and Aluminium (AA1100, AA5052)



CROSS LADDER

Nama Item	Gambaran Sketch/Drawing
	
Nama Item	Gambaran Sketch/Drawing
	

SPESIFIKASI



Material	: SPHC
Tebal Material	: 1.2 mm, 1.5 mm, 1.8 mm, 2 mm
Finishing	: Electro Galvanized, Hot Dip Galvanized, Powder Coating

Finishing: Hot Dip Galvanizing / Electro Galvanizing / Powder Coating
 ** Other dimension are available upon special request
 *Other Materials: Stainless Steel (SS304, SS316, SS316L) and Aluminium (AA1100, AA5052)



MNI TRAY CATALOGUE

REDUSER LADDER

Nama Item	Gambaran Sketch/Drawing
	
Nama Item	Gambaran Sketch/Drawing
	

SPESIFIKASI


Material	: SPHC
Tebal Material	: 1.2 mm, 1.5 mm, 1.8 mm, 2 mm
Finishing	: Electro Galvanized, Hot Dip Galvanized, Powder Coating

Finishing: Hot Dip Galvanizing / Electro Galvanizing / Powder Coating
 ** Other dimension are available upon special request
 *Other Materials: Stainless Steel (SS304, SS316, SS316L) and Aluminium (AA1100, AA5052)



MNI TRAY CATALOGUE

KABEL DUCT TYPE U



SPESIFIKASI

Material	: SPHC
Tebal Material	: 1.2 mm, 1.5 mm, 1.8 mm, 2 mm
Panjang Standard	: 2400 & 3000 mm
Finishing	: Electro Galvanized, Hot Dip Galvanized, Powder Coating

Finishing: Hot Dip Galvanizing / Electro Galvanizing / Powder Coating

** Other dimension are available upon special request

*Other Materials: Stainless Steel (SS304, SS316, SS316L) and Aluminium (AA1100, AA5052)

Cable Duct STU		
Width (mm)	Height (mm)	Length (mm)
50	50	2400 & 3000
100	50	2400 & 3000
150	50	2400 & 3000
200	50	2400 & 3000
250	50	2400 & 3000
300	50	2400 & 3000
350	50	2400 & 3000
400	50	2400 & 3000
450	50	2400 & 3000
500	50	2400 & 3000
600	50	2400 & 3000
700	50	2400 & 3000
800	50	2400 & 3000
900	50	2400 & 3000
1000	50	2400 & 3000


Cable Duct STU		
Width (mm)	Height (mm)	Length (mm)
100	100	2400 & 3000
150	100	2400 & 3000
200	100	2400 & 3000
250	100	2400 & 3000
300	100	2400 & 3000
350	100	2400 & 3000
400	100	2400 & 3000
450	100	2400 & 3000
500	100	2400 & 3000
600	100	2400 & 3000
700	100	2400 & 3000
800	100	2400 & 3000
900	100	2400 & 3000
1000	100	2400 & 3000

Cable Duct STU		
Width (mm)	Height (mm)	Length (mm)
100	150	2400 & 3000
150	150	2400 & 3000
200	150	2400 & 3000
250	150	2400 & 3000
300	150	2400 & 3000
350	150	2400 & 3000
400	150	2400 & 3000
450	150	2400 & 3000
500	150	2400 & 3000
600	150	2400 & 3000
700	150	2400 & 3000
800	150	2400 & 3000
900	150	2400 & 3000
1000	150	2400 & 3000



MNI TRAY CATALOGUE

KABEL DUCT TYPE C



SPESIFIKASI

Material	: SPHC
Tebal Material	: 1.2 mm, 1.5 mm, 1.8 mm, 2 mm
Panjang Standard	: 2400 & 3000 mm
Finishing	: Electro Galvanized, Hot Dip Galvanized, Powder Coating

Finishing: Hot Dip Galvanizing / Electro Galvanizing / Powder Coating

** Other dimension are available upon special request

*Other Materials: Stainless Steel (SS304, SS316, SS316L) and Aluminium (AA1100, AA5052)




Cable Duct STC		
Width (mm)	Height (mm)	Length (mm)
50	50	2400 & 3000
100	50	2400 & 3000
150	50	2400 & 3000
200	50	2400 & 3000
250	50	2400 & 3000
300	50	2400 & 3000
350	50	2400 & 3000
400	50	2400 & 3000
450	50	2400 & 3000
500	50	2400 & 3000
600	50	2400 & 3000
700	50	2400 & 3000
800	50	2400 & 3000
900	50	2400 & 3000
1000	50	2400 & 3000

Cable Duct STC		
Width (mm)	Height (mm)	Length (mm)
100	100	2400 & 3000
150	100	2400 & 3000
200	100	2400 & 3000
250	100	2400 & 3000
300	100	2400 & 3000
350	100	2400 & 3000
400	100	2400 & 3000
450	100	2400 & 3000
500	100	2400 & 3000
600	100	2400 & 3000
700	100	2400 & 3000
800	100	2400 & 3000
900	100	2400 & 3000
1000	100	2400 & 3000

Cable Duct STC		
Width (mm)	Height (mm)	Length (mm)
100	150	2400 & 3000
150	150	2400 & 3000
200	150	2400 & 3000
250	150	2400 & 3000
300	150	2400 & 3000
350	150	2400 & 3000
400	150	2400 & 3000
450	150	2400 & 3000
500	150	2400 & 3000
600	150	2400 & 3000
700	150	2400 & 3000
800	150	2400 & 3000
900	150	2400 & 3000
1000	150	2400 & 3000



ELBOW DUCT

Nama Item	Gambaran Sketch/Drawing
	
Nama Item	Gambaran Sketch/Drawing
	



SPESIFIKASI

Material	: SPHC
Tebal Material	: 1.2 mm, 1.5 mm, 1.8 mm, 2 mm
Finishing	: Electro Galvanized, Hot Dip Galvanized, Powder Coating

Finishing: Hot Dip Galvanizing / Electro Galvanizing / Powder Coating
 ** Other dimension are available upon special request
 *Other Materials: Stainless Steel (SS304, SS316, SS316L) and Aluminium (AA1100, AA5052)



OUTSIDE RISER DUCT

Nama Item	Gambaran Sketch/Drawing
	
Nama Item	Gambaran Sketch/Drawing
	



SPESIFIKASI

Material	: SPHC
Tebal Material	: 1.2 mm, 1.5 mm, 1.8 mm, 2 mm
Finishing	: Electro Galvanized, Hot Dip Galvanized, Powder Coating

Finishing: Hot Dip Galvanizing / Electro Galvanizing / Powder Coating
 ** Other dimension are available upon special request
 *Other Materials: Stainless Steel (SS304, SS316, SS316L) and Aluminium (AA1100, AA5052)



INSIDE RISER DUCT

Nama Item	Gambaran Sketch/Drawing
	
	

SPESIFIKASI

Material	: SPHC
Tebal Material	: 1.2 mm, 1.5 mm, 1.8 mm, 2 mm
Finishing	: Electro Galvanized, Hot Dip Galvanized, Powder Coating



Finishing: Hot Dip Galvanizing / Electro Galvanizing / Powder Coating

** Other dimension are available upon special request

*Other Materials: Stainless Steel (SS304, SS316, SS316L) and Aluminium (AA1100, AA5052)



TEE DUCT

Nama Item	Gambaran Sketch/Drawing
	
Nama Item	Gambaran Sketch/Drawing
	



SPESIFIKASI

Material	: SPHC
Tebal Material	: 1.2 mm, 1.5 mm, 1.8 mm, 2 mm
Finishing	: Electro Galvanized, Hot Dip Galvanized, Powder Coating

Finishing: Hot Dip Galvanizing / Electro Galvanizing / Powder Coating
 ** Other dimension are available upon special request
 *Other Materials: Stainless Steel (SS304, SS316, SS316L) and Aluminium (AA1100, AA5052)



CROSS DUCT

Nama Item	Gambaran Sketch/Drawing
	
	



SPESIFIKASI

Material	: SPHC
Tebal Material	: 1.2 mm, 1.5 mm, 1.8 mm, 2 mm
Finishing	: Electro Galvanized, Hot Dip Galvanized, Powder Coating

Finishing: Hot Dip Galvanizing / Electro Galvanizing / Powder Coating
 ** Other dimension are available upon special request
 *Other Materials: Stainless Steel (SS304, SS316, SS316L) and Aluminium (AA1100, AA5052)



REDUSER DUCT

Nama Item	Gambaran Sketch/Drawing
	
	

SPESIFIKASI


Material	: SPHC
Tebal Material	: 1.2 mm, 1.5 mm, 1.8 mm, 2 mm
Finishing	: Electro Galvanized, Hot Dip Galvanized, Powder Coating

Finishing: Hot Dip Galvanizing / Electro Galvanizing / Powder Coating
 ** Other dimension are available upon special request
 *Other Materials: Stainless Steel (SS304, SS316, SS316L) and Aluminium (AA1100, AA5052)



MNI TRAY CATALOGUE

TRAY WIREMESH/CAGE



SPESIFIKASI

Material	: Drawn Wire Steel
Tebal Material	: 5 – 6 mm
Panjang Standard	: 3000 mm
Finishing	: Electro Galvanized, Hot Dip Galvanized, Powder Coating

Finishing: Hot Dip Galvanizing / Electro Galvanizing / Powder Coating

** Other dimension are available upon special request

*Other Materials: Stainless Steel (SS304, SS316, SS316L).

Cable Wiremesh/Cage		
Width (mm)	Height (mm)	Length (mm)
50	50	2400 & 3000
100	50	2400 & 3000
150	50	2400 & 3000
200	50	2400 & 3000
250	50	2400 & 3000
300	50	2400 & 3000
350	50	2400 & 3000
400	50	2400 & 3000
450	50	2400 & 3000
500	50	2400 & 3000
600	50	2400 & 3000
700	50	2400 & 3000
800	50	2400 & 3000
900	50	2400 & 3000
1000	50	2400 & 3000


Cable Wiremesh/Cage		
Width (mm)	Height (mm)	Length (mm)
100	100	2400 & 3000
150	100	2400 & 3000
200	100	2400 & 3000
250	100	2400 & 3000
300	100	2400 & 3000
350	100	2400 & 3000
400	100	2400 & 3000
450	100	2400 & 3000
500	100	2400 & 3000
600	100	2400 & 3000
700	100	2400 & 3000
800	100	2400 & 3000
900	100	2400 & 3000
1000	100	2400 & 3000

Cable Wiremesh/Cage		
Width (mm)	Height (mm)	Length (mm)
100	150	2400 & 3000
150	150	2400 & 3000
200	150	2400 & 3000
250	150	2400 & 3000
300	150	2400 & 3000
350	150	2400 & 3000
400	150	2400 & 3000
450	150	2400 & 3000
500	150	2400 & 3000
600	150	2400 & 3000
700	150	2400 & 3000
800	150	2400 & 3000
900	150	2400 & 3000
1000	150	2400 & 3000



MNI TRAY CATALOGUE


TRAY ACCESSORIS




Joint Tray C




Joint Tray U




Bracket Mounting




Hanger Beam




End Plate



Joint Ladder W



Joint Ladder U



Cover Clamp

SPESIFIKASI

Material

- : 1. SPHC
- 2. Aluminium A110, 5052
- 3. Stainless Steel 304, 316, 316L




MNI TRAY CATALOGUE

TRAY ACCESSORIS




Hanger Clavis




Joggled Plate




Cover Clip



Cover Ladder



Cover Duct



Cover Cage

SPESIFIKASI

Material

- : 1. SPHC
- 2. Aluminium A110, 5052
- 3. Stainless Steel 304, 316, 316L



CERTIFICATE

>Lorem ipsum dolor sit amet, consectetur



Sertifikat TKDN Kabel Tray



Sertifikat Cable Ladder

Sertifikat ISO 9001:2015



Sertifikat Merek MNI Tray

OUR CLIENT





MNI TRAY CATALOGUE

PENGIRIMAN PRODUK





PT MITRA NUSA
INTERNASIONAL



www.mitranusa.co.id



+ 62 813-9818-8873



admin@mitranusa.co.id



Lavon Swan City, Ruko Gravitas B2 no 1,
Wana Kerta, Sindang Jaya, Tangerang
Regency, Banten 15560

CABLE TRAY **MANUFACTURING**

PT. MITRA NUSA INTERNATIONAL